

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10705	(709/223).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2010/07/16 17:33
L2	4767	(709/225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2010/07/16 17:34
L3	5363	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2010/07/16 17:37
L4	77	l1 and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:37
L5	24	l2 and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:37
L6	23	l3 and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:38
L7	1361	"iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:38
L8	511	LUN and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:38

L9	42	l1 and LUN and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:38
L10	11	l2 and LUN and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:38
L11	16	l3 and LUN and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:38
L12	926	lun and load with (balancing or balance or balancer)	US-PGPUB; USPAT	OR	ON	2010/07/16 17:38
L13	456	lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:39
L14	42	l1 and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:39
L15	5	l2 and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:39
L16	15	l3 and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2010/07/16 17:39
L17	117	lun and clients same group and target and storage and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/16 18:17
L18	1191	lun and group and target and storage and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/16 18:17

L19	14	lun and group and target and storage	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/16 18:18
L20	14	LUN and "iscsi"	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/16 18:18
L21	455	"iscsi"	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/16 18:18
L22	186	lun and target	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/16 18:18
S1	0	("(miniportor(miniadj2port)) andscsiandiscsiandlunandpartition").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 14:22
S2	7	(miniport or (mini adj2 port)) and scsi and iscsi and lun and partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:49
S3	10	(miniport or (mini adj2 port)) and scsi and iscsi and lun	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:30

S4	3	S3 not S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:30
S5	2	("6892264").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 16:21
S6	3504	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 16:21
S7	4	S6 and miniport	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 16:24
S8	2	("7165258").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 16:24
S9	8640	709/229	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/02 19:27

S10	3788	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/02 19:27
S11	3222	(709/225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/02 19:27
S12	3032	(709/226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/02 19:28
S13	5999	(S10 or S11 or S12) and @ay<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:28
S14	9	S13 and restrict same access and lun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:28

S15	49	S13 and security and lun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S16	39	S13 and security and lun and scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S17	10	S13 and security and lun and iscsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S18	408	security and lun and iscsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S19	0	restrcit same access and lun and iscsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29

S20	0	restreit same access and lun and scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S21	0	restreit same access and lun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:29
S22	213	restrict same access and lun	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:30
S23	160	restrict same access and lun and scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:30
S24	80	restrict same access and lun and "iscsi"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:30

S25	168	restrict same access and lun and port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:31
S26	5	S13 and security and access same (limit or restrict) and lun and iscsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 19:36
S27	4052	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:05
S28	3440	(709/225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:05
S29	352	(709/215).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:06
S30	6131	(709/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:06

S31	4	lun and clients same group and access and authorized and storage and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:07
S32	17	lun and clients same group and access and authorized and storage and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:07
S33	0	lun and clients same groupand targert and access and authorized and storage and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:13
S34	12187	lun and clients same groupand target and access and authorized and storage and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:14
S35	0	lun and clients same groupand and target and access and authorized and storage and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:14

S36	11	lun and clients same group and target and access and authorized and storage and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 14:14
S37	3496	S27 and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 14:20
S38	3496	S27 and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:20
S39	6	S27 and lun and authorized and clients and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:20
S40	3	S27 and lun and authorized and clients and group and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:20
S41	2782	S28 and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:21
S42	3	S28 and lun and authorized and clients and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:21

S43	3	S28 and lun and authorized and clients and group and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/17 14:21
S44	2	("20010034792").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 17:14
S45	2	("6421711").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/02 18:11
S46	2	("6892264").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/01/03 17:52
S47	2	("7165258").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/05/19 15:19
S48	127	LUN and (dynamic or dynamically) same port and load with (balance or balancing) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/05/19 15:26
S49	6	LUN and (dynamic or dynamically) same port same (bind or binding or assign or assigning or assignment) and load with (balance or balancing) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/05/19 15:29

S50	2	("7275103").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/19 15:35
S51	3923	(709/225).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:04
S52	4521	(709/229).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:04
S53	8734	(709/223).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:04
S54	5	S51 and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:05
S55	14	S52 and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:05
S56	34	S53 and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:05
S57	385	lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:06
S58	5	S51 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S59	14	S52 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S60	34	S53 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20

S61	0	S51 and url and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S62	4	S52 and url and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S63	7	S53 and url and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 16:20
S64	7	port same url and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 17:32
S65	13	port same url and lun and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/05/19 17:35
S66	30	lun and load with (balancing or balance or balancer)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 17:54
S67	2	lun and url same port	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 17:54
S68	4	access and lun and load with (balancing or balance or balancer)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/19 17:54
S69	6	access and lun and load with (balancing or balance or balancer)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 17:54

S70	606	access and lun	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 17:54
S71	6	((("6892264") or ("20020156867") or ("7275103"))). PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/02 13:35
S72	497	virtual and "scsi" same "iscsi" and (@lad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 13:52
S73	298	virtual and "scsi" same "iscsi" and lun and (@lad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 13:53
S74	9534	(709/223).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/02 15:42
S75	4265	(709/225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/02 15:42
S76	4850	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/02 15:42
S77	28	S74 and virtual and "scsi" same "iscsi" and (@lad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:42

S78	11	S75 and virtual and "scsi" same "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:42
S79	8	S76 and virtual and "scsi" same "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:42
S80	38	S74 and virtual and "scsi" and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:43
S81	11	S75 and virtual and "scsi" and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:43
S82	10	S76 and virtual and "scsi" and "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:43
S83	497	virtual and "scsi" same "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:44
S84	298	lun and virtual and "scsi" same "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:44
S85	270	"san" and "lun" and virtual and "scsi" same "iscsi" and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	ON	2009/12/02 15:44
S86	35	S74 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/12/02 15:45
S87	5	S75 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/12/02 15:45
S88	14	S76 and access and lun and load with (balancing or balance or balancer) and (@rlad<"20030822" or @ad<"20030822")	US-PGPUB; USPAT	OR	OFF	2009/12/02 15:45
S89	4	access and lun and load with (balancing or balance or balancer)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/02 15:45

S90	11	virtual and "scsi" same "iscsi"	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:45
S91	13	virtual and "scsi" and "iscsi"	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:46
S92	4	virtual and lun and "iscsi"	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:46

7/16/2010 6:18:50 PM

C:\Documents and Settings\bfriz\My Documents\EAST\Workspaces\10645087.wsp